





































21. Maino BG, Mura P. Mid-Plant: l'ancoraggio assoluto in ortodonzia. *Ortognatodonzia Italiana* vol 11,1-2002.
22. Triaca A, Antonini M, Wintermantel E: Ein neues titan-Flachschraubenimplantat zur Verankerung am anterioren Gaumen. *Inf Orthod Orthop*. 24: 251-7, 1992
23. Wehrbein H, Merz BR, Diedrich P, Glatzmaier J. The use of palatal implants for orthodontic anchorage. Design and clinical application of the orthosystem. *Clinical Oral Implants Research*. 7(4):410-6, 1996
24. Umemori M, Sugawara J, Mitani H, Nagasaka H, Kawamura H. Skeletal anchorage system for open-bite correction. *Am J Orthod Dentofacial Orthop* 1999; 115:166-174
25. Jason B. Cope, John W Graham, Treatment planning for temporary anchorage device applications, in *OthoTADS, The Clinical Guide and Atlas*. Jason B. Cope Ed. 2007
26. Gianelly A.A., Bednar J., Cociani S., Giacotti F., Maino G., Richter O. *Tecnica Bidimensionale teoria e pratica* 1999;3:66-74
27. Gianelly A.A., Bednar J., Cociani S., Giacotti F., Maino G., Richter O. *Tecnica Bidimensionale teoria e pratica* 1999;2:39
28. Gianelly A.A., Bednar J., Cociani S., Giacotti F., Maino G., Richter O. *Tecnica Bidimensionale teoria e pratica* 1999;3:66-68
29. Poggio PM., Incorvati C., Velo., Carano A. Safe zones: a guide for miniscrew positioning in the maxillary and mandibular arch. *Angle Orthod* 2005;76(2):191-197
30. Gianelly A.A., Bednar J., Cociani S., Giacotti F., Maino G., Richter O. *Tecnica Bidimensionale teoria e pratica* 1999;2:42
31. Gianelly, AA. Crowding: timing of treatment. *Angle Orthod*. 64:415-418, 1994
32. Moyers RE, Van der Linden FPGM, Riolo ML, McNamara JA, Jr. Standards of human occlusal development. Monograph 5. *Craniofacial Growth Series*, Centre of Human Development. The University of Michigan, Ann Arbor, 1976.
33. Mariani L. Post-graduation thesis in Orthodontics at Insubria University 2011